

戸隠水源TSV 水温・溶存酸素 垂直分布

令和2年度

測定年月日	R2.4.16		R2.6.18		R2.8.19		R2.10.13	
気 温 (°C)	7.2		19.0		26.5		14.2	
透 明 度 (m)	4.0		4.8		6.7		3.7	
水 位 (cm)	0		0		-3		0	
貯 水 量 (m³)	225,080		225,080		223,700		225,080	
流 入 量 (m³/d)	8,592		11,057		5,679		7,418	
送 水 量 (m³/d)	5,092		4,557		5,539		5,518	
放 水 量 (m³/d)	0		600		0		0	
水深 (m)	水温 (°C)	DO (mg/L)	水温 (°C)	DO (mg/L)	水温 (°C)	DO (mg/L)	水温 (°C)	DO (mg/L)
0	7.0	10.5	18.6	9.3	23.1	8.1	14.1	8.7
1	6.7	9.7	18.4	9.4	22.2	8.2	14.7	8.7
2	6.7	9.2	18.1	9.5	21.1	8.9	14.7	8.6
3	6.6	9.4	17.8	9.5	20.0	8.3	14.5	8.4
4	6.5	9.6	17.3	9.2	19.1	8.4	14.3	8.1
5	6.5	9.8	16.8	9.1	17.9	8.8	14.2	8.0
6	6.3	10.2	15.9	9.3	16.7	7.4	14.2	8.0
7	6.2	10.1	14.6	10.9	16.0	4.8	14.2	8.0
8	6.2	10.1	12.8	12.0	15.4	2.3	14.2	7.9
9	6.5	10.3	11.9	11.1	14.8	0.5	14.1	7.7
10			11.4	10.9	14.4	0.4	14.2	7.3
11								
12								
13								
14								
15								

